

TECHNISCH BUREAU

DUSPRA



SPITZNAS
CUSTOMIZED POWER SOLUTIONS



DRILLS

TOOLS FOR THE SPECIALIST



HYDRAULIC



ATEX



SYSTEM CONCEPT



Geared chuck
up to dia. 13 mm



Lifting eye



D-handle
or pistol handle



ATEX-Safety class
approved

Second handle



Revering (left/right)






Hydraulic hose set



HYDRAULIC

The hydraulic drill with **pistol handle** for open circuit is easy to handle and for universal use, with geared chuck up to dia. 13 mm, **reversible**, as well usable in explosive areas and for underwater operation.






ORDER NO.	ATEX Specification	HYDRAULIC 			OPERATING PRESSURE 140 Bar		ATEX 		UNDERWATER OPERATION 	
		Drill chuck up to (geared chuck)	Drilling capacity in steel, max. dia.	Drilling capacity in wood, max. dia.	Speed (free)	Power	Oil flow	Noise level LpA	Vibration level	Weight
		mm	mm	mm	rpm	kW	l/min	dB(A)	m/s ²	kg
2 1360 0010	II2GExhIIBT5Gb	13.0	13.0	30.0	1,120	2.0	15-30	80.0	<2.5	8.1
Subject to technical change.						Performance data at an operating pressure of 140 bar.				

HYDRAULIC

The hydraulic drill with **D-handle** for open circuit is easy to handle and for universal use, with geared chuck up to dia. 13 mm, **reversible**, as well usable in explosive areas and for underwater operation.



ORDER NO.	ATEX Specification	HYDRAULIC 			OPERATING PRESSURE 140 Bar		ATEX 		UNDERWATER OPERATION 	
		Drill chuck up to (geared chuck)	Drilling capacity in steel, max. dia.	Drilling capacity in wood, max. dia.	Speed (free)	Power	Oil flow	Noise level LpA	Vibration level	Weight
		mm	mm	mm	rpm	kW	l/min	dB(A)	m/s ²	kg
2 1361 0010	II2GExhIIBT5Gb	13.0	13.0	30.0	1,120	2.0	15-30	80.0	<2.5	7.3
Subject to technical change.						Performance data at an operating pressure of 140 bar.				

TECHNICAL DATA

SYSTEM ACCESSORIES


HYDRAULIC POWER PACK

ORDER NO.	Description
9 9915 0020	Hydraulic power pack 20 lpm, 140 bar, 400V



HYDRAULIC HOSES

ORDER NO.	Description
9 3601 0410	Hydraulic hose set 10 m incl. quick-coupling size 2



MISCELLANEOUS ACCESSORIES

ORDER NO.	Description	For type
9 9910 0060	Carrying case	2 1360
9 9910 0050	Carrying case	2 1361
9 9902 0120	Multi oil for cleaning and protection	



More accessories on request.

DRILLS RANGE

DRILLS



IMPACT DRILLS



CORNER DRILLS



HAMMER DRILLS



CORE DRILL UNITS



MAGNETIC CORE DRILLS



0621E